



UNITED STATES PATENT AND TRADEMARK OFFICE  
PATENT & TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 10/085,840         | 02/27/2002          | Velayudhan Sahadevan  |                        |

CONFIRMATION NO. 1770

# FORMALITIES LETTER



\*OC000000007806188\*

Dr. V. Sahadevan  
Dag Hammarskjold Cancer Treatment Center  
155 Dry Hill Road  
Beckley, WV 25801

05/24/2002 TBESHAH1 00000032 10085840

01 FC:203 45.00 OP

Date Mailed: 04/18/2002

The required items noted below SHOULD be filed along with any items required above. The filing date of this nonprovisional application will be the date of receipt of the items required above.

- Total additional claim fee(s) for this application is \$45.
  - \$45 for 14 total claims over 20.
- The balance due by applicant is \$ 45.

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

### *Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - The specification cannot be scanned or properly stored. Page(s)
    - All do not comply with the size requirements (8 ½ by 11 inches or 21.0 by 29.7 cm). *The drawings filed are unacceptable because: Replacement page(s), together with a statement that the replacement page(s) contain no new matter, are required.*



*A copy of this notice MUST be returned with the reply.*

---

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

202250-04858001